

SAFETY DATA SHEET

According to 29 CFR 1910.1200 Hazard Communication Standard 2012 (HazCom 2012)

Product identifier		
Product name	Phosphate 70 – Reagent A	
Product number	R-8004A	
Recommended use and restrictions	To be used in accordance with manufacturer instructions or under the direct guidance of the manufacturer.	
Manufacturer	Taylor Technologies, Inc. 31 Loveton Circle Sparks, MD 21152 Phone: (410) 472-4340 Emergency phone: (800) 837-8548	
CTION 2: Hazard(s) identifi	cation	
Physical hazards	Corrosive to metals	Category 1
Health hazards	Eye damage/irritation	Category 1
	Skin corrosion/irritation	Category 1A
Environmental hazards	Not currently regulated by OSHA. For addit	tional information, refer to section 12 of the SDS
Label elements Hazard pictograms	\wedge	
Hazard pictograms	Danger	
	5	e skin burns and serious eye damage.
Hazard pictograms Signal word Hazard statements	Danger May be corrosive to metals. Causes severe	e skin burns and serious eye damage.
Hazard pictograms	May be corrosive to metals. Causes severe Keep only in original container. Do not brea	e skin burns and serious eye damage. athe dust or mists. Wash skin thoroughly after e clothing/eye protection/face protection if contac
Hazard pictograms Signal word Hazard statements Precautionary statements	May be corrosive to metals. Causes severe Keep only in original container. Do not brea handling. Wear protective gloves/protective likely to occur. Absorb spillage to prevent material damage several minutes. Remove contact lenses if Immediately call a physician or poison cont induce vomiting. IF ON SKIN (OR HAIR): Ir skin with water. Wash contaminated clothin	athe dust or mists. Wash skin thoroughly after clothing/eye protection/face protection if contac e. IF IN EYES: Rinse cautiously with water for
Hazard pictograms Signal word Hazard statements Precautionary statements Prevention	May be corrosive to metals. Causes severe Keep only in original container. Do not breat handling. Wear protective gloves/protective likely to occur. Absorb spillage to prevent material damage several minutes. Remove contact lenses if Immediately call a physician or poison cont induce vomiting. IF ON SKIN (OR HAIR): Ir skin with water. Wash contaminated clothin fresh air and keep comfortable for breathing center.	athe dust or mists. Wash skin thoroughly after e clothing/eye protection/face protection if contact e. IF IN EYES: Rinse cautiously with water for present and easy to do. Continue rinsing. trol center. IF SWALLOWED: Rinse mouth. Do r mmediately take off all contaminated clothing. R ng before reuse. IF INHALED: Remove person to g. Immediately call a physician or poison contro corrosive-resistant inner liner. Store locked up. k

SECTION 3: Composition/information on ingredients

Mixture			
Chemical name	Common name and synonyms	CAS number	% w/w
Water	Dihydrogen oxide	7732-18-5	65-85
Sulfuric acid	Oil of vitriol	7664-93-9	15-40
Nonhazardous and other components below reportable levels	Not applicable	Not applicable	5-10

SECTION 4: First-aid measures

If inhaled

Remove individual to fresh air. Seek medical attention if breathing becomes difficult or if respiratory irritation develops. Give oxygen or artificial respiration if needed.

In case of skin contact

Immediately flush skin with plenty of water for at least 20 minutes. If clothing comes in contact with the product, the clothing should be removed and laundered before reuse. Seek medical attention if irritation develops.

In case of eye contact

Immediately flush eyes with plenty of water for at least 20 minutes. Remove contact lenses if present and easy to do. Continue rinsing. If symptoms persist or in all cases of concern, seek medical advice.

If swallowed

Immediately call a physician or poison control center. Rinse mouth. Never give anything by mouth to a person who is unconscious or is having convulsions. Do NOT induce vomiting unless directed by physician. If vomiting occurs, keep head low so that stomach content does not get into the lungs.

Most important symptoms and effects, both acute and delayed

Refer to section 2 and/or section 11 of the SDS for the most important known symptoms and effects.

Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically.

General information

Ensure medical personnel are aware of the material(s) involved and take precautions to protect themselves.

SECTION 5: Firefighting measures

Extinguishing media Suitable extinguishing media Unsuitable extinguishing media	Use extinguishing media appropriate for surrounding fire. Do not use a heavy water stream. Use of heavy stream of water may spread fire.
Specific hazards arising from the Fire hazard	substance or mixture Not flammable
Explosion hazard	Not explosive
Reactivity	May be corrosive to metals
Hazardous combustion products	Carbon oxides. Hydrogen chloride gas. Other irritating fumes and smoke.
Advice for firefighters	
Precautionary measures	Exercise caution when fighting any chemical fire; hazardous fumes will be present.
Firefighting equipment/instructions	Use water spray or fog for cooling exposed containers.
Protection during firefighting	Do not enter fire area without proper protective equipment, including respiratory protection.
Other information	Refer to section 9 of the SDS for flammability properties.

SECTION 6: Accidental release measures

Personal precautions, protective equipment, and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during cleanup. Do not breathe dust/fumes/gas/mists/vapors/spray. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protective equipment, refer to section 8 of the SDS.

Environmental precautions

Avoid discharge into drains, watercourses, or onto the ground.

Methods and material for containment and cleaning up

Ventilate the area. Dike the spilled material where this is possible. Stop leak if it can be done without risk. Absorb spillage to prevent material damage. Absorb in vermiculite, dry sand or earth, and place into containers. Prevent entry into waterways, sewers, basements, or confined areas. Following product recovery, flush area with water to remove residual contamination. Dilute acid with water and neutralize with dilute base. If not recoverable, dilute with water or flush to holding area and neutralize. Never return spills to original containers for reuse. Contaminated absorbent material may pose the same hazards as the spilled product. In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

Reference to other sections

For exposure controls and personal protection, refer to section 8 of the SDS. For waste disposal, refer to section 13 of the SDS.

SECTION 7: Handling and storage

Personal precautions, protective equipment, and emergency procedures

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fumes/gas/mists/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. For personal protective equipment, refer to section

8 of the SDS. Keep away from incompatibles. Observe good industrial hygiene practices. Label containers appropriately.

Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Store in corrosive-resistant container with corrosive-resistant inner liner. Store locked up. Keep tightly capped. Store out of direct sunlight between 36°F-85°F. Store locked up. Store away from incompatible materials (refer to section 10 of the SDS).

IS ACGIH Threshold Limit Values			
Components	Туре	Value	
Sulfuric acid (CAS 7664-93-9)	TWA	0.2 mg/m ³	
JS NIOSH: Pocket Guide to Chemical Haza	irds		
Components	Туре	Value	
Sulfuric acid (CAS 7664-93-9)	PEL	1 mg/m ³	
Sulfuric acid (CAS 7664-93-9)	IDLH	15 mg/m ³	
US OSHA Table Z-1 Limits for Air Contami	nants (29 CFR 1910.1000)		
Components	Туре	Value	
Sulfuric acid (CAS 7664-93-9)	PEL	1 mg/m ³	

No biological exposure limits noted for the ingredient(s).

Exposure controls

S

Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eyewash facilities and emergency shower must be available when handling this product.
Personal protective equipment	
Eye/face protection	Wear appropriate chemical safety goggles if contact is likely to occur.
Skin protection	Wear appropriate chemical-resistant gloves and clothing if contact is likely to occur.
Body protection	Wear appropriate protective clothing if contact is likely to occur.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fumes at levels exceeding the exposure limits. Advice should be sought from respiratory protection suppliers.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state	Liquid
Form	Liquid
Color	Clear and colorless
Odor	No data available
Odor threshold	No data available
рН	No data available
Evaporation rate	No data available
Melting point	No data available
Freezing point	No data available
Initial boiling point (boiling range)	No data available
Flash point	No data available
Specific gravity	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Flammability (solid, gas)	No data available

Upper Flammability Limit	No data available		
Lower Flammability Limit	No data available		
Vapor pressure	No data available		
Vapor density	No data available		
Solubility	Soluble in all proportions		
Partition coefficient (n-octanol/water)	No data available		
Viscosity	No data available		
Explosive properties	No data available		
Oxidizing properties	No data available		
CTION 10: Stability and rea	activity		
Reactivity	May be corrosive to metals.		
Chemical stability	Stable under recommende	ed handling and storage conditions (refer to section 7 of the SDS).	
Possibility of hazardous reactions	No dangerous reaction kn	own under conditions of normal use.	
Conditions to avoid	Contact with incompatible	materials. Do not use in areas without adequate ventilation.	
Incompatible materials	Acetaldehyde, bases, cart strong oxidizing agents.	oides, chlorates, cyanides, fulminates, halides, powdered metals,	
Hazardous decomposition products	No hazardous decomposit	ion products under normal conditions.	
CTION 11: Toxicological in	formation		
Information on toxicological effe	ects		
Likely routes of exposure are	skin/eye contact and ingest	ion.	
Most important symptoms/effects, acute and	Direct skin contact may ca scarring.	use corrosive skin burns, deep ulcerations, and possibly permane	
delayed	Direct contact with concentrated solutions may be corrosive and may cause severe damage including blindness. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.		
	Inhalation of mists can cause respiratory irritation. Symptoms may include coughing, choking and wheezing. Inhalation could result in pulmonary edema (fluid accumulation). Symptoms of pulmonary edema (chest pain, shortness of breath) may be delayed.		
	pullionary caema (enest p	bain, shorthess of breath) may be delayed.	
	Ingestion may produce bu	rns to the lips, oral cavity, upper airway, esophagus, and possibly t	
Acute toxicity	Ingestion may produce bu digestive tract. Symptoms This product is not classifi	rns to the lips, oral cavity, upper airway, esophagus, and possibly t may include abdominal pain, vomiting, burns, perforations, bleedir ed as an acute toxicity hazard. See below for product and individua	
	Ingestion may produce bu digestive tract. Symptoms This product is not classifi ingredient acute toxicity da	rns to the lips, oral cavity, upper airway, esophagus, and possibly may include abdominal pain, vomiting, burns, perforations, bleedin ed as an acute toxicity hazard. See below for product and individua ata.	
Product	Ingestion may produce bu digestive tract. Symptoms This product is not classifi ingredient acute toxicity da	rns to the lips, oral cavity, upper airway, esophagus, and possibly may include abdominal pain, vomiting, burns, perforations, bleedir ed as an acute toxicity hazard. See below for product and individua	
Acute toxicity <u>Product</u> Phosphate 70 – Reagent A (CAS Acute	Ingestion may produce bu digestive tract. Symptoms This product is not classifi ingredient acute toxicity da	rns to the lips, oral cavity, upper airway, esophagus, and possibly t may include abdominal pain, vomiting, burns, perforations, bleedir ed as an acute toxicity hazard. See below for product and individua ata.	
Product Phosphate 70 – Reagent A (CAS	Ingestion may produce bu digestive tract. Symptoms This product is not classifi ingredient acute toxicity da	rns to the lips, oral cavity, upper airway, esophagus, and possibly may include abdominal pain, vomiting, burns, perforations, bleedin ed as an acute toxicity hazard. See below for product and individua ata.	
Product Phosphate 70 – Reagent A (CAS Acute	Ingestion may produce bu digestive tract. Symptoms This product is not classifi ingredient acute toxicity da	rns to the lips, oral cavity, upper airway, esophagus, and possibly may include abdominal pain, vomiting, burns, perforations, bleedin ed as an acute toxicity hazard. See below for product and individua ata.	
Product Phosphate 70 – Reagent A (CAS Acute Dermal	Ingestion may produce bu digestive tract. Symptoms This product is not classifi ingredient acute toxicity da Species S Mixture)	rns to the lips, oral cavity, upper airway, esophagus, and possibly may include abdominal pain, vomiting, burns, perforations, bleedin ed as an acute toxicity hazard. See below for product and individuata. Acute Toxicity Estimate (ATE)	
Product Phosphate 70 – Reagent A (CAS Acute Dermal LD ₅₀	Ingestion may produce bu digestive tract. Symptoms This product is not classifi ingredient acute toxicity da Species S Mixture)	rns to the lips, oral cavity, upper airway, esophagus, and possibly may include abdominal pain, vomiting, burns, perforations, bleedin ed as an acute toxicity hazard. See below for product and individuata. Acute Toxicity Estimate (ATE)	
Product Phosphate 70 – Reagent A (CAS Acute Dermal LD ₅₀ Inhalation	Ingestion may produce bu digestive tract. Symptoms This product is not classifi ingredient acute toxicity da Species S Mixture) Rat	rns to the lips, oral cavity, upper airway, esophagus, and possibly may include abdominal pain, vomiting, burns, perforations, bleedin ed as an acute toxicity hazard. See below for product and individua ata. Acute Toxicity Estimate (ATE) >2000 mg/kg	
ProductPhosphate 70 – Reagent A (CASAcuteDermalLD50InhalationLC50Oral	Ingestion may produce bu digestive tract. Symptoms This product is not classifi ingredient acute toxicity da Species S Mixture) Rat	rns to the lips, oral cavity, upper airway, esophagus, and possibly may include abdominal pain, vomiting, burns, perforations, bleedin ed as an acute toxicity hazard. See below for product and individua ata. Acute Toxicity Estimate (ATE) >2000 mg/kg	
Product Phosphate 70 – Reagent A (CAS Acute Dermal LD ₅₀ Inhalation LC ₅₀	Ingestion may produce bu digestive tract. Symptoms This product is not classifi ingredient acute toxicity da <u>Species</u> Mixture) Rat Rat	rns to the lips, oral cavity, upper airway, esophagus, and possibly to may include abdominal pain, vomiting, burns, perforations, bleedin ed as an acute toxicity hazard. See below for product and individua ata. <u>Acute Toxicity Estimate (ATE)</u> >2000 mg/kg No data available	
Product Phosphate 70 – Reagent A (CAS Acute Dermal LD ₅₀ Inhalation LC ₅₀ Oral LD ₅₀	Ingestion may produce bu digestive tract. Symptoms This product is not classifi ingredient acute toxicity da Species S Mixture) Rat Rat Rat	rns to the lips, oral cavity, upper airway, esophagus, and possibly to may include abdominal pain, vomiting, burns, perforations, bleedin ed as an acute toxicity hazard. See below for product and individua ata. <u>Acute Toxicity Estimate (ATE)</u> >2000 mg/kg No data available >2000 mg/kg	
Product Phosphate 70 – Reagent A (CAS Acute Dermal LD ₅₀ Inhalation LC ₅₀ Oral LD ₅₀ Components	Ingestion may produce bu digestive tract. Symptoms This product is not classifi ingredient acute toxicity da Species S Mixture) Rat Rat Rat	rns to the lips, oral cavity, upper airway, esophagus, and possibly i may include abdominal pain, vomiting, burns, perforations, bleedin ed as an acute toxicity hazard. See below for product and individua ata. <u>Acute Toxicity Estimate (ATE)</u> >2000 mg/kg No data available >2000 mg/kg	
Product Phosphate 70 – Reagent A (CAS Acute Dermal LD ₅₀ Inhalation LC ₅₀ Oral LD ₅₀ Components Sulfuric acid (CAS 7664-93-9)	Ingestion may produce bu digestive tract. Symptoms This product is not classifi ingredient acute toxicity da Species S Mixture) Rat Rat Rat	rns to the lips, oral cavity, upper airway, esophagus, and possibly i may include abdominal pain, vomiting, burns, perforations, bleedin ed as an acute toxicity hazard. See below for product and individua ata. <u>Acute Toxicity Estimate (ATE)</u> >2000 mg/kg No data available >2000 mg/kg	
Product Phosphate 70 – Reagent A (CAS Acute Dermal LD ₅₀ Inhalation LC ₅₀ Oral LD ₅₀ Components Sulfuric acid (CAS 7664-93-9) Acute	Ingestion may produce bu digestive tract. Symptoms This product is not classifi ingredient acute toxicity da Species S Mixture) Rat Rat Rat	rns to the lips, oral cavity, upper airway, esophagus, and possibly i may include abdominal pain, vomiting, burns, perforations, bleedin ed as an acute toxicity hazard. See below for product and individua ata. <u>Acute Toxicity Estimate (ATE)</u> >2000 mg/kg No data available >2000 mg/kg	
Product Phosphate 70 – Reagent A (CAS Acute Dermal LD ₅₀ Inhalation LC ₅₀ Oral LD ₅₀ Components Sulfuric acid (CAS 7664-93-9) Acute Dermal	Ingestion may produce bu digestive tract. Symptoms This product is not classifi ingredient acute toxicity da Species S Mixture) Rat Rat Rat Species	rns to the lips, oral cavity, upper airway, esophagus, and possibly i may include abdominal pain, vomiting, burns, perforations, bleedin ed as an acute toxicity hazard. See below for product and individua ata. Acute Toxicity Estimate (ATE) >2000 mg/kg No data available >2000 mg/kg Acute Toxicity Data	
Product Phosphate 70 – Reagent A (CAS Acute Dermal LD ₅₀ Inhalation LC ₅₀ Oral LD ₅₀ Components Sulfuric acid (CAS 7664-93-9) Acute Dermal LD ₅₀	Ingestion may produce bu digestive tract. Symptoms This product is not classifi ingredient acute toxicity da Species S Mixture) Rat Rat Rat Species	rns to the lips, oral cavity, upper airway, esophagus, and possibly t may include abdominal pain, vomiting, burns, perforations, bleedir ed as an acute toxicity hazard. See below for product and individua ata. Acute Toxicity Estimate (ATE) >2000 mg/kg No data available >2000 mg/kg Acute Toxicity Data	
ProductPhosphate 70 – Reagent A (CASAcuteDermalLD50InhalationLC50OralLD50ComponentsSulfuric acid (CAS 7664-93-9)AcuteDermalLD50Inhalation	Ingestion may produce bu digestive tract. Symptoms This product is not classifi ingredient acute toxicity da <u>Species</u> Mixture) Rat Rat Rat Rat Rat	rns to the lips, oral cavity, upper airway, esophagus, and possibly t may include abdominal pain, vomiting, burns, perforations, bleedin ed as an acute toxicity hazard. See below for product and individua ata. Acute Toxicity Estimate (ATE) >2000 mg/kg No data available >2000 mg/kg Acute Toxicity Data	

Skin corrosion/irritation	Causes severe skin burns
Serious eye damage/eye irritation	Causes serious eye damage
Respiratory sensitization	No data available
Skin sensitization	No data available
Germ cell mutagenicity	No data available
Carcinogenicity	
IARC Monographs. Overall Eval	uation of Carcinogenicity
Not regulated	
OSHA Specifically Regulated Su Not regulated	ubstances (29 CFR 1910.1001-1096)
US National Toxicology Prograr	n (NTP) Report on Carcinogens
Not regulated	
Reproductive toxicity	No data available
Specific target organ toxicity (single exposure)	No data available
Specific target organ toxicity (repeated exposure)	No data available
Aspiration hazard	No data available
CTION 12: Ecological inform	ation
Ecotoxicity	This product is not classified as environmentally hazardous.
Persistence and degradability	No data available
Bioaccumulative potential	No data available
Mobility in soil	No data available
Other adverse effects	Large or frequent spills can have a harmful or damaging effect on the environment.

Collect and reclaim or dispose of in sealed containers at a licensed waste disposal site. Since emptied containers may retain product residue, follow label warnings even after container is emptied. This material and its container must be disposed of in a safe manner. Dispose of contents/container in accordance with local/regional/national/international regulations.

SECTION 14: Transport information

DOT	
UN number	2796
UN Proper shipping name	Sulfuric acid solution
Reportable Quantity	1000lbs, sulfuric acid
Class (Subsidiary risk)	8
Label(s)	8
Packing group	II
Special provisions	386, A3, A7, B2, B15, IB2, N6, N34, T8, TP2
Packaging exceptions	154
Packaging, non-bulk	202
ΙΑΤΑ	
UN number	2796
UN Proper shipping name	Sulfuric acid solution
Class (Subsidiary risk)	8
Packing group	II
Special provisions	none
IMDG	
UN number	2796
UN Proper shipping name	Sulfuric acid solution
Class (Subsidiary risk)	8
Packing group	II

Environmental hazards

Marine pollutant


Special provisions EmS No None F-A, S-B

Special precautions for user

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

DOT hazard pictograms

IATA; IMDG hazard pictograms





SECTION 15: Regulatory information

US federal regulations		
CERCLA Hazardous Substance (40 C	CFR 302.4)	
Chemical name	CAS number	Reportable Quantity
Sulfuric acid	7664-93-9	1000lbs
SARA 302 Extremely Hazardous Sub	stance (40 CFR 355	Appendices A / B)
Chemical name	CAS number	Reportable Quantity
Sulfuric acid	7664-93-9	1000lbs
SARA 304 Emergency Release Notifi	cation	
Chemical name	CAS number	Reportable Quantity
Sulfuric acid	7664-93-9	1000lbs
SARA 311/312 Hazardous Chemical		
Chemical name	CAS number	
Sulfuric acid	7664-93-9	
SARA 313 (TRI reporting)		
Chemical name	CAS number	
Ammonium metavanadate	7803-55-6	
Not regulated		
TSCA Section 8(b) Chemical Invento	ry	
All components are on the U.S. EPA	TSCA Inventory list.	
TSCA Section 12(b) Export Notificati	on (40 CFR 707, Sub	pt. D)
Not regulated		
Other federal regulations		
Clean Air Act (CAA) Section 112 Haz	ardous Air Pollutant	s (HAPs)
Not regulated		. ,
Clean Air Act (CAA) Section 112(r) A	ccidental Release Pr	revention (40 CFR 68.130)
Not regulated		
Clean Water Act, Toxic and Priority F	Pollutants (40 CFR 40	01.15 and CFR 423, Appendix A)
Not regulated	,	
Safe Drinking Water Act (SDWA)		
Not regulated		
US state regulations		
California Safe Drinking Water and T	oxic Enforcement A	ct of 1986 (California Proposition 65)
Ç da da		

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Massachusetts Right-to-Know Act

Chemical name	CAS number
Sulfuric acid	7664-93-9
New Jersey Worker and Com	
Chemical name	CAS number
Sulfuric acid	7664-93-9
Pennsylvania Worker and Co	ommunity Right-to-Know Act
Chemical name	CAS number
Sulfuric acid	7664-93-9
Rhode Island Right-to-Know	Act
Chemical name	CAS number
Sulfuric acid	7664-93-9
SECTION 16: Other informati	on
NFPA Rating	_
Health hazard	2
Fire hazard	0
Reactivity	1

N/A

Specific Disclaimer

The information in the Safety Data Sheet is offered for your consideration and guidance for safe handling, use, storage, transportation, disposal, and release of this product and is not considered a warranty or quality specification. Taylor Technologies, Inc., disclaims all expressed or implied warranties and assumes no responsibility for the accuracy of completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

License granted to make unlimited paper copies for internal use only. This Safety Data Sheet may not be altered in any way without the expressed knowledge and permission of Taylor Technologies, Inc. The information contained in this sheet is based on lab experience and the most current data available.

Issue date: May 2015

Last revisions January 2019