

SAFETY DATA SHEET

According to 29 CFR 1910.1200 Hazard Communication Standard 2012 (HazCom 2012)

Revision: 04/14/2021

SECTION 1: Identification

Product identifier

Product name Iron Total 0.3 – Reagent B

Product number R-8011B

Recommended use and

restrictions

To be used in accordance with manufacturer instructions or under the direct guidance of the

manufacturer.

Manufacturer Taylor Technologies, Inc.

31 Loveton Circle Sparks, MD 21152

Local: (410) 472-4340 – 8am – 5pm EST Toll-free: (800) 837-8548 – 8am – 5pm EST

Emergency phone number

CHEMTREC, United States 1-800-424-9300 – 24-hour service CHEMTREC, International +1 703-741-5970 – 24-hour service

SECTION 2: Hazard(s) Identification

Physical hazardsFlammable liquidsCategory 2Health hazardsEye damage/irritationCategory 2ASkin corrosion/irritationCategory 2Specific target organ toxicity, single exposureCategory 1

Environmental hazards

Label elements

Hazard pictograms



Signal word Danger

Hazard statements Highly flammable liquid and vapor. Causes serious eye and skin irritation. Causes damage to

organs.

Precautionary statements

Prevention Keep away from heat/sparks/open flames/hot surfaces. -No smoking. Keep container tightly

closed. Ground/bond container and receiving equipment. Use explosion-proof equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/eye protection/face protection if contact is likely to occur. Wash skin thoroughly after handling. Do not breathe dust/fumes/gas/mists/vapors/spray. Do not eat,

Not currently regulated by OSHA. For additional information, refer to section 12 of the SDS.

drink, or smoke when using this product.

Response IF ON SKIN (OR HAIR): Take off immediately all contaminated clothing. Rinse skin with water. IN CASE OF FIRE: Use alcohol-resistant foam, carbon dioxide, dry chemical powder, or water

fog to extinguish. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. IF EYE IRRITATION PERSISTS: Get medical advice/attention. IF ON SKIN: Wash with plenty of water. IF SKIN IRRITATION OCCURS: Get medical advice/attention. Take off contaminated clothing and wash it before

reuse. IF EXPOSED: Call a physician or poison control center.

Storage Store locked up. Store in well-ventilated place. Keep cool. Keep tightly capped. Store out of

direct sunlight between 36°F-85°F.

Disposal Dispose of contents/container in accordance with local/regional/national/international

regulations.

Hazards not otherwise classified Not applicable

SDS US

SECTION 3:	Comp	osition/Info	ormation on	Ingredients

- N /	-1.	ıre

MIXTUIC			
Chemical name	Common name and synonyms	CAS number	% w/w
Ethyl alcohol	Ethanol	64-17-5	80-100
Methyl alcohol	Methanol	67-56-1	1-5
Acetic acid	Glacial acetic acid	64-19-7	1-5
Non-hazardous and other components below reportable levels	Not applicable	Mixture	<15

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4: First-Aid Measures

If inhaled

Remove individual to fresh air. Seek medical attention if breathing becomes difficult or if respiratory irritation develops. Give oxygen or artificial respiration if needed.

In case of skin contact

Immediately flush skin with plenty of water for at least 20 minutes. If clothing comes in contact with the product, the clothing should be removed and laundered before reuse. Seek medical attention if irritation develops.

In case of eye contact

Immediately flush eyes with plenty of water for at least 20 minutes. Remove contact lenses if present and easy to do. Continue rinsing. If symptoms persist or in all cases of concern, seek medical advice.

If swallowed

Immediately call a physician or poison control center. Rinse mouth. Never give anything by mouth to a person who is unconscious or is having convulsions. Do NOT induce vomiting unless directed by physician. If vomiting occurs, keep head low so that stomach content does not get into the lungs.

Most important symptoms and effects, both acute and delayed

Refer to section 2 and/or section 11 of the SDS for the most important known symptoms and effects.

Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically.

General information

Ensure medical personnel are aware of the material(s) involved and take precautions to protect themselves.

SECTION 5: Firefighting Measures

Extinguishing media

Suitable extinguishing media Alcohol-resistant foam, carbon dioxide, dry chemical powder, or water fog.

Unsuitable extinguishing media Do not use a heavy water stream. Use of heavy stream of water may spread fire.

Specific hazards arising from the substance or mixture

Fire hazard

Flammable liquid and vapor. Vapors may travel considerable distance to a source of ignition and flash back. This product is a poor conductor of electricity and can be electrostatically charged. If sufficient charge is accumulated, ignition of flammable mixtures can occur. To reduce potential static discharge, use proper bonding and grounding procedures. This material may be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, or mechanical/electrical equipment). Vapors are heavier than air and may spread along floors.

Explosion hazard Vapors may form explosive mixtures with air. This material may be ignited by heat, sparks,

flames, or other sources of ignition (e.g., static electricity, pilot lights, or mechanical/electrical

equipment). Vapors are heavier than air and may spread along floors.

Reactivity Hazardous reactions will not occur under normal conditions.

Advice for firefighters

Precautionary measures Exercise caution when fighting any chemical fire; hazardous fumes will be present.

Firefighting

equipment/instructions

Use water spray or fog for cooling exposed containers.

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

Other information Refer to section 9 of the SDS for flammability properties.

SECTION 6: Accidental Release Measures

Personal precautions, protective equipment, and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate

protective equipment and clothing during cleanup. Do not breathe dust/fumes/gas/mists/vapors/spray. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protective equipment, refer to section 8 of the SDS.

Environmental precautions

Avoid discharge into drains, watercourses, or onto the ground.

Methods and material for containment and cleaning up

Ventilate the area. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. Dike the spilled material where this is possible. Stop leak if it can be done without risk. Absorb spillage to prevent material damage. Absorb in vermiculite, dry sand or earth, and place into containers. Prevent entry into waterways, sewers, basements, or confined areas. Following product recovery, flush area with water to remove residual contamination. Never return spills to original containers for reuse. Contaminated absorbent material may pose the same hazards as the spilled product. In the event of large spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

Reference to other sections

For exposure controls and personal protection, refer to section 8 of the SDS. For waste disposal, refer to section 13 of the SDS.

SECTION 7: Handling and Storage

Personal precautions, protective equipment, and emergency procedures

Vapors may form explosive mixtures with air. Keep away from sources of ignition. NO SMOKING. Do not handle, store or open near an open flame, sources of heat or sources of ignition. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fumes/gas/mists/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. For personal protective equipment, refer to section 8 of the SDS. Keep away from incompatibles. Observe good industrial hygiene practices. Label containers appropriately.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in well-ventilated place. Keep cool. Keep tightly capped. Store out of direct sunlight between 36°F-85°F. Store away from incompatible materials (refer to section 10 of the SDS).

SECTION 8: Exposure Controls/Personal Protection

Occupational exposure limits

US.	ACGIH	Threshold	Limit Values
-----	-------	-----------	---------------------

Components	Туре	<u>Value</u>	
Acetic acid (CAS 64-19-7)	TWA	25 mg/m ³	
	STEL	37 mg/m ³	

US NIOSH: Pocket Guide to Chemical Hazards

Components	Туре	Value
Acetic acid (CAS 64-19-7)	TWA	25 mg/m ³
	STEL	37 mg/m ³
	IDLH	50 ppm (120 mg/m³)
Ethyl alcohol (CAS 67-56-1)	TWA	1900 mg/m ³
	IDLH	3300 ppm (6240 mg/m ³)
Methyl alcohol (CAS 67-56-1)	TWA	260 mg/m ³
	STEL	325 mg/m ³
	IDLH	6000 ppm (7800 mg/m ³)

US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	
Acetic acid (CAS 64-19-7)	TWA	25 mg/m ³	
Ethyl alcohol (CAS 67-56-1)	TWA	1900 mg/m ³	
Methyl alcohol (CAS 67-56-1)	TWA	260 mg/m ³	

Biological limit values

ACGIH Biological Exposure Indices

Components	Value	Determinant	Specimen	Sampling Time
Methyl alcohol	15 mg/L	Methanol	Urine	End of shift

Exposure controls

Appropriate engineering controls Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates

should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eyewash facilities and emergency shower must be available when handling

this product.

Personal protective equipment

Eye/face protection Wear appropriate chemical safety goggles if contact is likely to occur.

Skin protection Wear appropriate chemical-resistant gloves and clothing if contact is likely to occur.

Body protection Wear appropriate protective clothing if contact is likely to occur.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Use a NIOSH/MSHA

approved respirator if there is a risk of exposure to dust/fumes at levels exceeding the

exposure limits. Advice should be sought from respiratory protection suppliers.

SECTION 9: Physical and Chemical Properties

Information on basic physical and chemical properties

Physical state Liquid Form Liquid

Color Clear, dark red

Odor Alcohol

Odor threshold No data available

pH 4

Evaporation rate

Melting point

Freezing point

Initial boiling point (boiling range)

No data available

No data available

174°F (78°C)

Flash point 57°F (14°C) Closed cup
Specific gravity No data available
Auto-ignition temperature No data available
Decomposition temperature No data available
Flammability (solid, gas) Flammable liquid

Upper Flammability Limit UEL 19% v/v for Ethanol Lower Flammability Limit LEL 3.3% v/v for Ethanol

Vapor pressure No data available
Vapor density No data available
Relative density No data available

Solubility Soluble in all proportions

Partition coefficient

(n-octanol/water)

No data available

Viscosity

No data available
Explosive properties

No data available
Oxidizing properties

No data available

SECTION 10: Stability and Reactivity

Reactivity Hazardous reactions will not occur under normal conditions.

Chemical stability Stable under recommended handling and storage conditions (refer to section 7 of the SDS).

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Heat, sparks, open flames, and other ignition sources. Temperatures exceeding the flash point.

Direct sunlight. Contact with incompatible materials. Do not use in areas without adequate

ventilation.

Incompatible materials Strong oxidizing agents. Strong acids and bases.

Hazardous decomposition

products

No hazardous decomposition products under normal conditions.

SECTION 11: Toxicological Information

Information on toxicological effects

Likely routes of exposure are skin/eye contact and ingestion.

Most important

symptoms/effects, acute and

delayed

Direct skin contact may cause irritation. Symptoms may include redness and itching. Direct eye contact may cause serious irritation. Symptoms may include stinging, tearing,

redness, swelling, and blurred vision.

Inhalation of mists may cause respiratory irritation. Symptoms may include coughing and

Not classified

Not classified

Not classified

breathing difficulties.

Ingestion may cause gastrointestinal irritation, nausea, vomiting, and diarrhea.

Acute toxicity This product is not classified as an acute toxicity hazard.

Product Species Acute Toxicity Estimate (ATE)

Iron Total 0.3 (CAS Mixture)

Acute

Dermal

Rat LD50

Inhalation

LC₅₀ Rat

Oral

LD₅₀ Rat

Species Acute Toxicity Data

Methyl alcohol (CAS 67-56-1)

Acute

Components

Dermal

LD50 Rabbit

17100 mg/kg (Source: ECHA)

Inhalation

LC₅₀ Rat 116 mg/L, 4 hours (Source: ECHA)

Oral

Rat 1187 mg/kg (Source: ECHA) LD50

Skin corrosion/irritation Causes skin irritation

Serious eye damage/eye irritation Causes serious eye irritation

Respiratory sensitization No data available Skin sensitization No data available Germ cell mutagenicity No data available

Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Not classifiable

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1096)

No data available

US National Toxicology Program (NTP) Report on Carcinogens

No data available

Reproductive toxicity No data available

Specific target organ toxicity

(single exposure)

No data available

Specific target organ toxicity

(repeated exposure)

No data available

Aspiration hazard No data available

SECTION 12: Ecological Information

No data available. **Ecotoxicity** No data available Persistence and degradability Bioaccumulative potential No data available No data available Mobility in soil

SECTION 13: Disposal Considerations

Collect and reclaim or dispose of in sealed containers at a licensed waste disposal site. Since emptied containers may retain product residue, follow label warnings even after container is emptied. This material and its container must be disposed of in a safe manner. Dispose of contents/container in accordance with local/regional/national/international regulations.

SECTION 14: Transport Information

DOT

UN number 1170

UN Proper shipping name Ethyl alcohol solution

Reportable Quantity

Class (Subsidiary risk)

Label(s)

Packing group

None

3

II

Special provisions 24, IB2, T4, TP1

Packaging exceptions 4b, 150
Packaging, non-bulk 202

IATA

UN number 1170

UN Proper shipping name Ethyl alcohol solution

Class (Subsidiary risk) 3
Packing group II
Special provisions A3

IMDG

UN number 1170

UN Proper shipping name Ethyl alcohol solution

Class (Subsidiary risk) 3
Packing group II

Environmental hazards

Marine pollutantNoSpecial provisions144EmSF-E, S-D

Special precautions for userRead safety instructions, SDS, and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

This substance/mixture is not intended to be transported in bulk.

DOT hazard pictograms



IATA; IMDG hazard pictograms

ation

SECTION 15: Regulatory Information

US federal regulations

CERCLA Hazardous Substance (40 CFR 302.4)

Chemical name CAS number Reportable Quantity

 Acetic acid
 64-19-7
 5000 lbs

 Methanol
 67-6-1
 5000 lbs

SARA 302 Extremely Hazardous Substance (40 CFR 355 Appendices A / B)

Not regulated

SARA 304 Emergency Release Notification

Not regulated

SARA 311/312 Hazardous Chemical

Chemical name	CAS number
Acetic acid	64-19-7
Ethanol	64-17-5
Methanol	67-56-1
ARA 313 (TRI reporting)	

SARA 313 (TRI reporting)

Chemical nameCAS numberMethanol67-56-1

TSCA Section 8(b) Chemical Inventory

All components are on the U.S. EPA TSCA Inventory list.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs)

Not regulated

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated

Clean Water Act, Toxic and Priority Pollutants (40 CFR 401.15 and CFR 423, Appendix A)

Not regulated

Safe Drinking Water Act (SDWA)

Not regulated

US state regulations

California Safe Drinking Water and Toxic Enforcement Act of 1986 (California Proposition 65)

Chemical name	CAS number	
Methanol	67-56-1	

WARNING: This product can expose you to methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Massachusetts Right-to-Know Act

Chemical name	CAS number
Acetic acid	64-19-7
Methanol	67-56-1

New Jersey Worker and Community Right-to-Know Act

Chemical name	CAS number
Acetic acid	64-19-7
Ethanol	64-17-5
Methanol	67-56-1

Pennsylvania Worker and Community Right-to-Know Act

Chemical name	CAS number
Acetic acid	64-19-7
Ethanol	64-17-5
Methanol	67-56-1

Rhode Island Right-to-Know Act

Chemical name	CAS number
Acetic acid	64-19-7
Methanol	67-56-1

SECTION 16: Other Information

NFPA Rating

Health hazard 2
Fire hazard 3
Reactivity 1
Specific N/A

Disclaimer

The information in the Safety Data Sheet is offered for your consideration and guidance for safe handling, use, storage, transportation, disposal, and release of this product and is not considered a warranty or quality specification. Taylor Technologies, Inc., disclaims all expressed or implied warranties and assumes no responsibility for the accuracy of completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

License granted to make unlimited paper copies for internal use only. This Safety Data Sheet may not be altered in any way without the expressed knowledge and permission of Taylor Technologies, Inc. The information contained in this sheet is based on lab experience and the most current data available.

Issue date:

May 2015

Revision date:

04/14/2021

Revision information:

This document embodies significant change(s) that may impact classification, safe handling, or health information for the associated product(s). The information contained herein should be reviewed in its entirety before handling material.