


## SECTION 1: Identification

<b>Product identifier</b>	
Product name	Copper 3 – Reagent B
Product number	R-8012B
<b>Recommended use and restrictions</b>	To be used in accordance with manufacturer instructions or under the direct guidance of the manufacturer.
<b>Manufacturer</b>	Taylor Technologies, Inc. 31 Loveton Circle Sparks, MD 21152 Local: (410) 472-4340 – 8am – 5pm EST Toll-free: (800) 837-8548 – 8am – 5pm EST
<b>Emergency phone number</b>	
CHEMTREC, United States	1-800-424-9300 – 24-hour service
CHEMTREC, International	+1 703-741-5970 – 24-hour service

## SECTION 2: Hazard(s) Identification

<b>Physical hazards</b>	Flammable liquids	Category 3
<b>Health hazards</b>	Eye damage/irritation	Category 2A
	Specific target organ toxicity, single exposure, narcotic effects	Category 3
<b>Environmental hazards</b>	Not currently regulated by OSHA. For additional information, refer to section 12 of the SDS.	
<b>Label elements</b>		
Hazard pictograms		
Signal word	Warning	
Hazard statements	Flammable liquid and vapor. Causes serious eye irritation. May cause drowsiness or dizziness.	
Precautionary statements		
Prevention	Keep away from heat/sparks/open flames/hot surfaces. -No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/eye protection/face protection if contact is likely to occur. Wash skin thoroughly after handling. Avoid breathing dust/fumes/gas/mists/vapors/spray. Use only outdoors or in a well-ventilated area.	
Response	IF ON SKIN (OR HAIR): Take off immediately all contaminated clothing. Rinse skin with water. IN CASE OF FIRE: Use alcohol-resistant foam, carbon dioxide, dry chemical powder, or water fog to extinguish. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. IF EYE IRRITATION PERSISTS: Get medical advice/attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a physician or poison center if you feel unwell.	
Storage	Store in well-ventilated place. Keep cool. Keep tightly capped. Store out of direct sunlight between 36°F–85°F. Store locked up.	
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.	
<b>Hazards not otherwise classified</b>	Not applicable	

### SECTION 3: Composition/Information on Ingredients

#### Mixture

Chemical name	Common name and synonyms	CAS number	% w/w
Water	Dihydrogen oxide	7732-18-5	30-60
Isopropyl alcohol	Isopropanol	67-63-0	30-60

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

### SECTION 4: First-Aid Measures

#### If inhaled

Remove individual to fresh air. Seek medical attention if breathing becomes difficult or if respiratory irritation develops. Give oxygen or artificial respiration if needed.

#### In case of skin contact

Immediately flush skin with plenty of water for at least 20 minutes. If clothing comes in contact with the product, the clothing should be removed and laundered before reuse. Seek medical attention if irritation develops.

#### In case of eye contact

Immediately flush eyes with plenty of water for at least 20 minutes. Remove contact lenses if present and easy to do. Continue rinsing. If symptoms persist or in all cases of concern, seek medical advice.

#### If swallowed

Immediately call a physician or poison control center. Rinse mouth. Never give anything by mouth to a person who is unconscious or is having convulsions. Do NOT induce vomiting unless directed by physician. If vomiting occurs, keep head low so that stomach content does not get into the lungs.

#### Most important symptoms and effects, both acute and delayed

Direct skin or eye contact may cause irritation. Symptoms may include redness or itching. Tearing of the eyes or blurred vision may occur. Inhalation may cause headache, drowsiness, or dizziness. Ingestion may cause gastrointestinal irritation, nausea, vomiting, and diarrhea.

Refer to section 11 of the SDS for delayed and immediate effects and chronic effects from short- and long-term exposure.

#### Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically.

#### General information

Ensure medical personnel are aware of the material(s) involved and take precautions to protect themselves.

### SECTION 5: Firefighting Measures

#### Extinguishing media

Suitable extinguishing media Alcohol-resistant foam, carbon dioxide, dry chemical powder, or water fog.

Unsuitable extinguishing media Do not use a heavy water stream. Use of heavy stream of water may spread fire.

#### Specific hazards arising from the substance or mixture

Fire hazard Flammable liquid and vapor. Vapors may travel considerable distance to a source of ignition and flash back. This product is a poor conductor of electricity and can be electrostatically charged. If sufficient charge is accumulated, ignition of flammable mixtures can occur. To reduce potential static discharge, use proper bonding and grounding procedures. This material may be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, or mechanical/electrical equipment). Vapors are heavier than air and may spread along floors.

Explosion hazard Vapors may form explosive mixtures with air. This material may be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, or mechanical/electrical equipment). Vapors are heavier than air and may spread along floors.

Reactivity Hazardous reactions will not occur under normal conditions.

Hazardous combustion products Carbon oxides. Other irritating fumes and smoke

#### Advice for firefighters

Precautionary measures Exercise caution when fighting any chemical fire; hazardous fumes will be present.

Firefighting equipment/instructions Use water spray or fog for cooling exposed containers.

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

Other information Refer to section 9 of the SDS for flammability properties.

### SECTION 6: Accidental Release Measures

#### Personal precautions, protective equipment, and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during cleanup. Do not breathe dust/fumes/gas/mists/vapors/spray. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should

be advised if significant spillages cannot be contained. For personal protective equipment, refer to section 8 of the SDS.

### Environmental precautions

Avoid discharge into drains, watercourses, or onto the ground.

### Methods and material for containment and cleaning up

Ventilate the area. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. Dike the spilled material where this is possible. Stop leak if it can be done without risk. Absorb spillage to prevent material damage. Absorb in vermiculite, dry sand or earth, and place into containers. Prevent entry into waterways, sewers, basements, or confined areas. Following product recovery, flush area with water to remove residual contamination. Never return spills to original containers for reuse. Contaminated absorbent material may pose the same hazards as the spilled product. In the event of large spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

### Reference to other sections

For exposure controls and personal protection, refer to section 8 of the SDS. For waste disposal, refer to section 13 of the SDS.

## SECTION 7: Handling and Storage

### Personal precautions, protective equipment, and emergency procedures

Vapors may form explosive mixtures with air. Keep away from sources of ignition. NO SMOKING. Do not handle, store or open near an open flame, sources of heat or sources of ignition. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fumes/gas/mists/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. For personal protective equipment, refer to section 8 of the SDS. Keep away from incompatibles. Observe good industrial hygiene practices. Label containers appropriately.

### Conditions for safe storage, including any incompatibilities

Store in well-ventilated place. Keep cool. Keep tightly capped. Store out of direct sunlight between 36°F- 85°F. Store away from incompatible materials (refer to section 10 of the SDS). Store locked up.

## SECTION 8: Exposure Controls/Personal Protection

### Occupational exposure limits

#### US ACGIH Threshold Limit Values

Components	Type	Value
Isopropyl alcohol (CAS 67-63-0)	STEL	400 ppm (980 mg/m <sup>3</sup> )
	TWA	200 ppm (490 mg/m <sup>3</sup> )

#### US NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Isopropyl alcohol (CAS 67-63-0)	ST	500 ppm (1225 mg/m <sup>3</sup> )
	TWA	400 ppm (980 mg/m <sup>3</sup> )

#### US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
Isopropyl alcohol (CAS 67-63-0)	TWA	400 ppm (980 mg/m <sup>3</sup> )

### Biological limit values

#### ACGIH Biological Exposure Indices

Components	Value	Determinant	Specimen	Sampling Time
Isopropyl alcohol (CAS 67-63-0)	40 mg/L	Acetone	Urine	End of shift at end of workweek

### Exposure controls

Appropriate engineering controls Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eyewash facilities and emergency shower must be available when handling this product.

#### Personal protective equipment

Eye/face protection	Wear appropriate chemical safety goggles if contact is likely to occur.
Skin protection	Wear appropriate chemical-resistant gloves and clothing if contact is likely to occur.
Body protection	Wear appropriate protective clothing if contact is likely to occur.

**SECTION 9: Physical and Chemical Properties****Information on basic physical and chemical properties**

Physical state	Liquid
Form	Liquid
Color	Clear, colorless
Odor	Alcohol
Odor threshold	No data available
pH	No data available
Evaporation rate	No data available
Melting point	No data available
Freezing point	No data available
Initial boiling point (boiling range)	180°F (82°C)
Flash point	75°F (24°C) Closed cup
Specific gravity	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Flammability (solid, gas)	Flammable liquid
Upper Flammability Limit	No data available
Lower Flammability Limit	No data available
Vapor pressure	No data available
Vapor density	No data available
Relative density	No data available
Solubility	Miscible
Partition coefficient (n-octanol/water)	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidizing properties	No data available

**SECTION 10: Stability and Reactivity**

<b>Reactivity</b>	Hazardous reactions will not occur under normal conditions.
<b>Chemical stability</b>	Stable under recommended handling and storage conditions (refer to section 7 of the SDS).
<b>Possibility of hazardous reactions</b>	No dangerous reaction known under conditions of normal use.
<b>Conditions to avoid</b>	Heat, sparks, open flames, and other ignition sources. Temperatures exceeding the flash point. Direct sunlight. Contact with incompatible materials. Do not use in areas without adequate ventilation.
<b>Incompatible materials</b>	Strong oxidizing agents.
<b>Hazardous decomposition products</b>	No hazardous decomposition products under normal conditions.

**SECTION 11: Toxicological Information****Information on likely routes of exposure**

Inhalation	Avoid inhalation of this product. Use in a well-ventilated area.
Skin contact	Protect exposed skin from contact. Use caution to avoid splashes.
Eye contact	Avoid close eye contact; Use caution to avoid splashes. Wear eye protection.
Ingestion	Avoid accidental ingestion by observing good hygiene practices. Wash hands thoroughly after handling this product.

**Symptoms related to the physical, chemical, and toxicological characteristics**

Causes serious eye irritation. May cause drowsiness or dizziness. Refer to section 4 of the SDS for most important symptoms and effects.

<b>Acute toxicity</b>	This product is not classified as an acute toxicity hazard.
<b>Skin corrosion/irritation</b>	No data available
<b>Serious eye damage/eye irritation</b>	Causes serious eye irritation
<b>Respiratory sensitization</b>	No data available
<b>Skin sensitization</b>	No data available
<b>Germ cell mutagenicity</b>	No data available

**Carcinogenicity**

**IARC Monographs. Overall Evaluation of Carcinogenicity**

Not listed

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1096)**

No data available

**US National Toxicology Program (NTP) Report on Carcinogens**

Not listed

<b>Reproductive toxicity</b>	No data available
<b>Specific target organ toxicity (single exposure)</b>	May cause drowsiness or dizziness
<b>Specific target organ toxicity (repeated exposure)</b>	No data available
<b>Aspiration hazard</b>	No data available

**SECTION 12: Ecological Information**

<b>Ecotoxicity</b>	This product is not classified as environmentally hazardous.
<b>Persistence and degradability</b>	No data available
<b>Bioaccumulative potential</b>	No data available
<b>Mobility in soil</b>	No data available
<b>Other adverse effects</b>	Large or frequent spills can have a harmful or damaging effect on the environment.

**SECTION 13: Disposal Considerations**

Collect and reclaim or dispose of in sealed containers at a licensed waste disposal site. Since emptied containers may retain product residue, follow label warnings even after container is emptied. This material and its container must be disposed of in a safe manner. Dispose of contents/container in accordance with local/regional/national/international regulations.

**SECTION 14: Transport Information**

**DOT**

<b>UN number</b>	1993
<b>UN Proper shipping name</b>	Flammable liquids, N.O.S. (Isopropyl alcohol solution)
<b>Reportable Quantity</b>	None
<b>Class (Subsidiary risk)</b>	3
<b>Label(s)</b>	3
<b>Packing group</b>	III
<b>Special provisions</b>	B1, B52, IB3, T4, TP1, TP29
<b>Packaging exceptions</b>	150
<b>Packaging, non-bulk</b>	203

**IATA**

<b>UN number</b>	1993
<b>UN Proper shipping name</b>	Flammable liquid, N.O.S. (Isopropyl alcohol solution)
<b>Class (Subsidiary risk)</b>	3
<b>Packing group</b>	III
<b>Special provisions</b>	A3

**IMDG**

<b>UN number</b>	1993
<b>UN Proper shipping name</b>	Flammable liquid, N.O.S. (Isopropyl alcohol solution)

<b>Class (Subsidiary risk)</b>	3
<b>Packing group</b>	III
<b>Environmental hazards</b>	
<b>Marine pollutant</b>	No
<b>Special provisions</b>	223, 274, 955
<b>EmS</b>	F-E, S-E
<b>Special precautions for user</b>	Read safety instructions, SDS, and emergency procedures before handling.
<b>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b>	This substance/mixture is not intended to be transported in bulk.

**DOT hazard pictograms**



**IATA; IMDG hazard pictograms**



## SECTION 15: Regulatory Information

### US federal regulations

**CERCLA Hazardous Substance (40 CFR 302.4)**

Not regulated

**SARA 302 Extremely Hazardous Substance (40 CFR 355 Appendices A / B)**

Not regulated

**SARA 304 Emergency Release Notification**

Not regulated

**SARA 311/312 Hazardous Chemical**

<u>Chemical name</u>	<u>CAS number</u>
Isopropyl alcohol	67-63-0

**SARA 313 (TRI reporting)**

<u>Chemical name</u>	<u>CAS number</u>
Isopropyl alcohol	67-63-0

**TSCA Section 8(b) Chemical Inventory**

All components are on the U.S. EPA TSCA Inventory list.

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Not regulated

### Other federal regulations

**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs)**

Not regulated

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Not regulated

**Clean Water Act, Toxic and Priority Pollutants (40 CFR 401.15 and CFR 423, Appendix A)**

Not regulated

**Safe Drinking Water Act (SDWA)**

Not regulated

### US state regulations

**California Safe Drinking Water and Toxic Enforcement Act of 1986 (California Proposition 65)**

Not listed

**Massachusetts Right-to-Know Act**

Not listed

**New Jersey Worker and Community Right-to-Know Act**

<u>Chemical name</u>	<u>CAS number</u>
Isopropyl alcohol	67-63-0

**Pennsylvania Worker and Community Right-to-Know Act**

<u>Chemical name</u>	<u>CAS number</u>
Isopropyl alcohol	67-63-0

**Rhode Island Right-to-Know Act**

<u>Chemical name</u>	<u>CAS number</u>
Isopropyl alcohol	67-63-0

**SECTION 16: Other Information****NFPA Rating**

Health hazard	1
Fire hazard	3
Reactivity	0
Specific	N/A

**Disclaimer**

The information in the Safety Data Sheet is offered for your consideration and guidance for safe handling, use, storage, transportation, disposal, and release of this product and is not considered a warranty or quality specification. Taylor Technologies, Inc., disclaims all expressed or implied warranties and assumes no responsibility for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

License granted to make unlimited paper copies for internal use only. This Safety Data Sheet may not be altered in any way without the expressed knowledge and permission of Taylor Technologies, Inc. The information contained in this sheet is based on lab experience and the most current data available.

**Issue date:**

May 2015

**Revision date:**

10/14/2021

**Revision information:**

Section 2: Signal word

*Supersedes revision dated 06/18/2021*