

# **SAFETY DATA SHEET**

According to 29 CFR 1910.1200 Hazard Communication Standard 2012 (HazCom 2012)

Revision: 07/13/2021

SECTION 1: Identification		
Product identifier		
Product name	Manganese 0.8 - Reagent C	
Product number	R-8034C	
Recommended use and restrictions	Water analysis. To be used in accordance with manu guidance of the manufacturer.	facturer instructions or under the direct
Manufacturer	Taylor Technologies, Inc. 31 Loveton Circle Sparks, MD 21152 Local: (410) 472-4340 – 8am – 5pm EST Toll-free: (800) 837-8548 – 8am – 5pm EST	
Emergency phone number		
CHEMTREC, United States	1-800-424-9300 – 24-hour service	
CHEMTREC, International	+1 703-741-5970 – 24-hour service	
SECTION 2: Hazard(s) Identif	ication	
Physical hazards	Not applicable	
Health hazards	Eye damage/irritation	Category 1
	Skin corrosion/irritation	Category 1C
Environmental hazards	Not currently regulated by OSHA. For additional inform	mation, refer to section 12 of the SDS.
Label elements Hazard pictograms		
Signal word	Danger	
Hazard statements	Causes severe skin burns and serious eye damage.	
Precautionary statements		
Prevention	Do not breathe mist or vapor. Wash skin thoroughly a gloves/protective clothing/eye protection/face protecti	
Response	IF IN EYES: Rinse cautiously with water for several m and easy to do. Continue rinsing. Immediately call a p IF SWALLOWED: Rinse mouth. Do NOT induce vom take off all contaminated clothing. Rinse skin with wat reuse. IF INHALED: Remove person to fresh air and Immediately call a physician or poison control center.	physician or poison control center. iting. IF ON SKIN (OR HAIR): Immediately ter. Wash contaminated clothing before keep comfortable for breathing.
Storage	Store locked up. Keep tightly capped. Store out of dire	ect sunlight between 36°F–85°F.
Disposal	Dispose of contents/container in accordance with loca regulations.	al/regional/national/international
Hazards not otherwise classified	Not applicable	
SECTION 3: Composition/Infe	ormation on Ingredients	

Mixture	
INIIALUIC	

Chemical name	Common name and synonyms	CAS number	% w/w
Water	Dihydrogen oxide	7732-18-5	30-60
Monoethanolamine	2-Aminoethanol	141-43-5	10-30
Triethanolamine	2,2',2"-Nitrilotriethanol	102-71-6	10-30
The specific chemical identity	and/or exact percentage (concentration) of	composition has been withhele	d as a trade secret.

### SECTION 4: First-Aid Measures

### If inhaled

Remove individual to fresh air. Seek medical advice/attention if breathing becomes difficult or if respiratory irritation develops. Give oxygen or artificial respiration if needed.

### In case of skin contact

Immediately flush skin with plenty of water for at least 20 minutes. If clothing comes in contact with the product, the clothing should be removed and laundered before reuse. Seek medical advice/attention if irritation develops.

### In case of eye contact

Immediately flush eyes with plenty of water for at least 20 minutes. Remove contact lenses if present and easy to do. Continue rinsing. If symptoms persist or in all cases of concern, seek medical advice/attention.

#### If swallowed

Rinse mouth. Never give anything by mouth to a person who is unconscious or is having convulsions. Do NOT induce vomiting unless directed by physician. If vomiting occurs, keep head low so that stomach content does not get into the lungs. Call a physician or poison control center immediately.

### Most important symptoms and effects, both acute and delayed

Direct skin or eye contact may cause corrosive burns. Symptoms may include pain, redness or swelling. Scarring or permanent damage, including blindness, could result. Inhalation may cause respiratory irritation, such as coughing. Ingestion may cause gastrointestinal irritation, nausea, vomiting, and diarrhea.

Refer to section 11 of the SDS for delayed and immediate effects and chronic effects from short- and long-term exposure.

### Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically.

### General information

Ensure medical personnel are aware of the material(s) involved and take precautions to protect themselves.

### SECTION 5: Firefighting Measures

ECTION 5: Firefighting meas	sures
Extinguishing media Suitable extinguishing media	Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	Do not use a heavy water stream. Use of heavy stream of water may spread fire.
Specific hazards arising from the Fire hazard	e substance or mixture Not flammable
Explosion hazard	Not explosive
Reactivity	Hazardous reactions will not occur under normal conditions.
Hazardous combustion products	Carbon oxides, nitrogen oxides. During fire, gases hazardous to health may be formed, including toxic hydrogen chloride and hydrogen cyanide gas.
Advice for firefighters	
Precautionary measures	Exercise caution when fighting any chemical fire; hazardous fumes will be present.
Firefighting equipment/instructions	Use water spray or fog for cooling exposed containers.
Protection during firefighting	Do not enter fire area without proper protective equipment, including respiratory protection.
Other information	Refer to section 9 of the SDS for flammability properties.
ECTION 6: Accidental Poles	

### SECTION 6: Accidental Release Measures

### Personal precautions, protective equipment, and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during cleanup. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protective equipment, refer to section 8 of the SDS.

### **Environmental precautions**

Avoid discharge into drains, watercourses, or onto the ground.

#### Methods and material for containment and cleaning up

Ventilate the area. Dike the spilled material where this is possible. Stop leak if it can be done without risk. Absorb in vermiculite, dry sand or earth, and place into containers. Prevent entry into waterways, sewers, basements, or confined areas. Following product recovery, flush area with water. Never return spills to original containers for reuse. Contaminated absorbent material may pose the same hazards as the spilled product. In the event of large spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

### Reference to other sections

For exposure controls and personal protection, refer to section 8 of the SDS. For waste disposal, refer to section 13 of the SDS.

### SECTION 7: Handling and Storage

### Precautions for safe handling

Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. For personal protective equipment, refer to

section 8 of the SDS. Keep away from incompatibles. Observe good industrial hygiene practices. Label containers appropriately.

### Conditions for safe storage, including any incompatibilities

Store locked up. Keep tightly capped. Store out of direct sunlight between 36°F–85°F. Store away from incompatible materials (refer to section 10 of the SDS).

US ACGIH Threshold Limit	Malusa			
Components	Values	Туре	Value	
Monoethanolamine (CAS	141-43-5)	TWA	3 ppm (6 mg/m <sup>3</sup> )	
		STEL	6 ppm (15 mg/m <sup>3</sup> )	
Monoethanolamine (CAS 141-43-5)		TWA	$5 \text{ mg/m}^3$	
Triethanolamine (CAS 102		IVVA	5 mg/m-	
US NIOSH: Pocket Guide to	o Chemical Hazards	Turne	Volue	
Components	444 40 5			
Monoethanolamine (CAS		TWA	3 ppm (8 mg/m <sup>3</sup> )	
Monoethanolamine (CAS	141-43-5)	STEL	6 ppm (15 mg/m <sup>3</sup> )	
Monoethanolamine (CAS	141-43-5)	IDLH	30 ppm (75 mg/m <sup>3</sup> )	
US OSHA Table Z-1 Limits	for Air Contaminants	s (29 CFR 1910.1000)		
Components		Туре	Value	
Monoethanolamine (CAS	141-43-5)	TWA	3 ppm (6 mg/m <sup>3</sup> )	
xposure controls Appropriate engineering controls	should be matche	ed to conditions. If appli	changes per hour) should be used. Ventila cable, use process enclosures, local exhau	
controis	exposure limits. If	exposure limits have r	to maintain airborne levels below recommend not been established, maintain airborne leve emergency shower must be available when	ended els to a
Personal protective equipme	exposure limits. If acceptable level. this product. nt	exposure limits have r Eyewash facilities and	not been established, maintain airborne leve emergency shower must be available wher	ended els to a handl
Personal protective equipme Eye/face protection	exposure limits. If acceptable level. this product. nt Wear appropriate	exposure limits have r Eyewash facilities and safety glasses with sic	not been established, maintain airborne leve emergency shower must be available when the shields (or goggles) if contact is likely to a	ended els to a handl
Personal protective equipme Eye/face protection Skin protection	exposure limits. If acceptable level. this product. nt Wear appropriate Wear appropriate	exposure limits have r Eyewash facilities and safety glasses with sid chemical-resistant glo	not been established, maintain airborne leve emergency shower must be available when the shields (or goggles) if contact is likely to ves and clothing if contact is likely to occur.	ended els to a handl
Personal protective equipme Eye/face protection Skin protection Body protection	exposure limits. If acceptable level. this product. nt Wear appropriate Wear appropriate Wear appropriate	exposure limits have r Eyewash facilities and safety glasses with sic chemical-resistant glo protective clothing if c	not been established, maintain airborne level emergency shower must be available wher le shields (or goggles) if contact is likely to ves and clothing if contact is likely to occur. contact is likely to occur	ended els to a n handl occur.
Personal protective equipme Eye/face protection Skin protection	exposure limits. If acceptable level. this product. nt Wear appropriate Wear appropriate Wear appropriate In case of insuffic approved respirat	exposure limits have r Eyewash facilities and safety glasses with sid chemical-resistant glo protective clothing if c ient ventilation, wear si or if there is a risk of et	not been established, maintain airborne leve emergency shower must be available when the shields (or goggles) if contact is likely to ves and clothing if contact is likely to occur.	ended els to a handl occur.
Personal protective equipme Eye/face protection Skin protection Body protection	exposure limits. If acceptable level. this product. nt Wear appropriate Wear appropriate Wear appropriate In case of insuffic approved respirat exposure limits. A	exposure limits have r Eyewash facilities and safety glasses with sid chemical-resistant glo protective clothing if co ient ventilation, wear s or if there is a risk of ex dvice should be sough	not been established, maintain airborne level emergency shower must be available wher le shields (or goggles) if contact is likely to o ves and clothing if contact is likely to occur. contact is likely to occur uitable respiratory equipment. Use a NIOSH kposure to dust/fumes at levels exceeding t	ended els to a handl occur.
Personal protective equipme Eye/face protection Skin protection Body protection Respiratory protection	exposure limits. If acceptable level. this product. nt Wear appropriate Wear appropriate Wear appropriate In case of insuffic approved respirat exposure limits. A	exposure limits have r Eyewash facilities and safety glasses with sid chemical-resistant glo protective clothing if co ient ventilation, wear si or if there is a risk of ex dvice should be sough	not been established, maintain airborne level emergency shower must be available wher le shields (or goggles) if contact is likely to o ves and clothing if contact is likely to occur. contact is likely to occur uitable respiratory equipment. Use a NIOSH kposure to dust/fumes at levels exceeding t	ended els to a handl occur.
Personal protective equipme Eye/face protection Skin protection Body protection Respiratory protection	exposure limits. If acceptable level. this product. nt Wear appropriate Wear appropriate Wear appropriate In case of insuffic approved respirat exposure limits. A	exposure limits have r Eyewash facilities and safety glasses with sid chemical-resistant glo protective clothing if co ient ventilation, wear si or if there is a risk of ex dvice should be sough	not been established, maintain airborne level emergency shower must be available wher le shields (or goggles) if contact is likely to o ves and clothing if contact is likely to occur. contact is likely to occur uitable respiratory equipment. Use a NIOSH kposure to dust/fumes at levels exceeding t	ended els to a handl occur.
Personal protective equipme Eye/face protection Skin protection Body protection Respiratory protection	exposure limits. If acceptable level. this product. nt Wear appropriate Wear appropriate In case of insuffic approved respirat exposure limits. A Chemical Propert	exposure limits have r Eyewash facilities and safety glasses with sid chemical-resistant glo protective clothing if co ient ventilation, wear si or if there is a risk of ex dvice should be sough	not been established, maintain airborne level emergency shower must be available wher le shields (or goggles) if contact is likely to o ves and clothing if contact is likely to occur. contact is likely to occur uitable respiratory equipment. Use a NIOSH kposure to dust/fumes at levels exceeding t	ended els to a handl occur.

Form	Liquid
Color	Clear, colorless
Odor	Ammonia-like
Odor threshold	No data available
рН	9.5
Evaporation rate	No data available
Melting point	No data available
Freezing point	No data available
Initial boiling point (boiling range)	No data available
Flash point	Not applicable
Specific gravity	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available

Flammability (solid, gas)	No data available
Upper Flammability Limit	No data available
Lower Flammability Limit	No data available
Vapor pressure	No data available
Vapor density	No data available
Relative density	No data available
Solubility	Miscible
Partition coefficient (n-octanol/water)	No data available
Viscosity	No data available

### SECTION 10: Stability and Reactivity

Reactivity	Hazardous reactions will not occur under normal conditions of use, storage, and transport.
Chemical stability	Stable under recommended handling and storage conditions (refer to section 7 of the SDS).
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials. Do not use in areas without adequate ventilation.
Incompatible materials	Strong acids and bases. Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products known.

### **SECTION 11: Toxicological Information**

Information on likely routes of	exposure
Inhalation	Avoid inhalation of this product. Use in a well-ventilated area.
Skin contact	Protect exposed skin from contact. Use caution to avoid splashes.
Eye contact	Avoid close eye contact; Use caution to avoid splashes. Wear eye protection.
Ingestion	Avoid accidental ingestion by observing good hygiene practices. Wash hands thoroughly after handling this product.
Symptoms related to the physical, chemical, and toxicological characteristics	Corrosive skin or eye damage may occur. Refer to section 4 of the SDS for most important symptoms and effects.
Delayed and immediate effects	and chronic effects from short- and long-term exposure
Acute toxicity	This product is not classified as an acute toxicity hazard. Acute toxicity estimate (ATE) has

This product is not classified as an acute toxicity hazard. Acute toxicity estimate (ATE) been calculated based on chapter 3 of GHS.

0% of the mixture consists of ingredient(s) with unknown acute toxicity.

### Product acute toxicity estimate (ATE)

ATEmix (Oral)	> 2000 mg/kg	
ATEmix (Dermal)	> 2000 mg/kg	
ATEmix (Inhalation)	No data available	
Component(s)	Species	Acute toxicity data
Monoethanolamine (CAS 14	1-43-5)	
LD50 (Oral)	Rat	1720 mg/kg (Source: NIOSH)
LD50 (Dermal)	Rabbit	1025 mg/kg (Source: vendor)
LC50 (Inhalation)	Not applicable	No data available
Skin corrosion/irritation	Causes severe skin burns	
Serious eye damage/eye irritation	Causes serious eye damage	
Respiratory sensitization	No data available	
Skin sensitization	No data available	
Germ cell mutagenicity	No data available	
Carcinogenicity		
IARC Monographs. Overall	Evaluation of Carcinogenicity	
Not listed		

OSHA Specifically Regulated	l Substances (29 CFR 1910.1001-1096)
Not regulated	
US National Toxicology Prog	ram (NTP) Report on Carcinogens
Not listed	
Reproductive toxicity	No data available
Specific target organ toxicity (single exposure)	No data available
Specific target organ toxicity (repeated exposure)	No data available
Aspiration hazard	No data available
ECTION 12: Ecological Info	rmation
Ecotoxicity	This product is not classified as environmentally hazardous.
Persistence and degradability	No data available
Bioaccumulative potential	No data available
Mobility in soil	No data available
Other adverse effects	Large or frequent spills can have a harmful or damaging effect on the environment.

#### SEC 13: Disposal Considerations

Collect and reclaim or dispose of in sealed containers at a licensed waste disposal site. Since emptied containers may retain product residue, follow label warnings even after container is emptied. This material and its container must be disposed of in a safe manner. Dispose of contents/container in accordance with local/regional/national/international regulations.

## SECTION 14: Transport Information

DOT	
UN number	2491
UN Proper shipping name	Ethanolamine solution
Reportable Quantity	1000 lbs, Sodium hydroxide
Class (Subsidiary risk)	8
Label(s)	8
Packing group	III
Special provisions	IB3, T4, TP1
Packaging exceptions	154
Packaging, non-bulk	203
ΙΑΤΑ	
UN number	2491
UN Proper shipping name	Ethanolamine solution
Class (Subsidiary risk)	8
Packing group	III
Special provisions	A3, A803
IMDG	
UN number	2491
UN Proper shipping name	Ethanolamine solution
Class (Subsidiary risk)	8
Packing group	III
Environmental hazards	
Marine pollutant	No
Special provisions	223
EmS	F-A, S-B
Special precautions for user	Read safety instructions, SDS, and emergency procedures before handling.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	This substance/mixture is not intended to be transported in bulk.

IATA/IMDG hazard pictograms



### SECTION 15: Regulatory Information

### US federal regulations

CERCLA Hazardous Substance (40 CFR 302.4) Not regulated

### SARA 302 Extremely Hazardous Substance (40 CFR 355 Appendices A / B)

Not regulated

### SARA 304 Emergency Release Notification

Not regulated

### SARA 311/312 Hazardous Chemical

Chemical name	CAS number	
Monoethanolamine	141-43-5	
Triethanolamine	102-71-6	

### SARA 313 (TRI reporting)

Not regulated

### **TSCA Section 8(b) Chemical Inventory**

All components are on the U.S. EPA TSCA Inventory list.

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated

### Other federal regulations

### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs)

Not regulated

### Clean Air Act (CAA) Section 112® Accidental Release Prevention (40 CFR 68.130)

Not regulated

### Clean Water Act, Toxic and Priority Pollutants (40 CFR 401.15 and CFR 423, Appendix A) Not regulated

### Safe Drinking Water Act (SDWA)

Not regulated

### US state regulations

### California Safe Drinking Water and Toxic Enforcement Act of 1986 (California Proposition 65)

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

### Massachusetts Right-to-Know Act

Chemical name	CAS number
Monoethanolamine	141-43-5
Triethanolamine	102-71-6
New Jersey Worker and Comn	nunity Right-to-Know Act
Chemical name	CAS number
Monoethanolamine	141-43-5
Triethanolamine	102-71-6
Pennsylvania Worker and Con	nmunity Right-to-Know Act
Chemical name	CAS number
Monoethanolamine	141-43-5

Triethanolamine	102-71-6		
Rhode Island Right-to-Know	v Act		
Chemical name	CAS num	iber	
Monoethanolamine	141-43-5		
CTION 16: Other Informa	tion		
NFPA Rating			
Health hazard	3		
Fire hazard	0		
Reactivity	1		
Specific	N/A		

### Disclaimer

The information in the Safety Data Sheet is offered for your consideration and guidance for safe handling, use, storage, transportation, disposal, and release of this product and is not considered a warranty or quality specification. Taylor Technologies, Inc., disclaims all expressed or implied warranties and assumes no responsibility for the accuracy of completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

License granted to make unlimited paper copies for internal use only. This Safety Data Sheet may not be altered in any way without the expressed knowledge and permission of Taylor Technologies, Inc. The information contained in this sheet is based on lab experience and the most current data available.

### Issue date:

May 2015

### **Revision date:**

07/13/2021

### **Revision information:**

This document embodies significant change(s) that may impact classification, safe handling, or health information for the associated product(s). The information contained herein should be reviewed in its entirety before handling material.